



SIDE TO LINE TAKEAWAY SCALE

INDUSTRIES



READY TO EAT



CONVENIENCE FOOD



FRESH PRODUCE



FISH



MEAT/POULTRY

Before MARCO

- Excess Product Distribution
- Slow Operator Weighing Speeds
- Lack of Uniformity
- Untrackable Production Runs

After MARCO

- Total Giveaway <2%
- Increased Operator Weighing Speeds
- Consistent Quality
- Full Batch & Operator Traceability

The **Side to Line Takeaway Scale** is the ideal solution for the convenience food and ready-meal industries, where precise weighing and portioning of multiple ingredients are essential for creating high-quality final products. It also excels at handling delicate or difficult-to-package fresh produce including salads, herbs, and cut fruits and vegetables.

MARCO's **negative smart weighing technology** will empower your weighing operators, enhance performance, and optimise efficiency, streamlining your production process for maximum productivity. It securely holds a full container of raw materials, allowing operators to accurately measure and dispense the required amounts by following the green light indicator on the visual lightbar, ensuring precision and reducing giveaway.

The ergonomic design positions operators side on to the conveyor, optimising their workflow and reducing strain enhancing operator safety and comfort.

In conjunction with MARCO Trac-IT optimisation software the indicator tracks and reports all use of the scale to the DataMaster system via Wi-Fi, allowing continuous feedback of the operator's performance to the management team.

Live performance data is shown in real time on the production floor, allowing for: **Live enhanced operator monitoring; more accurate preparation changeovers; line speeds, giveaway % and performance monitoring corrected in real time.**


Find out more: <https://youtu.be/xTBrf2oZM30>

KEY FEATURES:

- Operator accountability via approved ID log In
- High Speed Portion Control
- Visual Lightbar Indicator
- Rated IP69 designed to operate in harsh environments
- Available in battery or mains powered
- Gesture Sensor (no touch tare)

BENEFITS:

- **Reduce Giveaway to <2%** (product dependent)
- 25% Improved Productivity
- 99% Pack Accuracy
- Consistent Product Quality
- Complete Control & Traceability
- Reduce Waste
- Rapid ROI



SIDE TO LINE TAKEAWAY SCALE SPECIFICATION SHEET

The **Side to Line Scale** is designed to maximise the efficiency of the operators and the production line.

Composed of a fully welded stainless-steel folded section frame with one. The frame is of an open channel design which facilitates easier clean downs and eliminates any enclosed areas which could potentially harbour listeria. The workstation has been designed to operate in a high care working environment.

PRODUCT SPECIFICATION

	LineMaster V	CheckMaster	TaskMaster Horizontal	TaskMaster Vertical
Width:	639mm (25.2")	639mm (25.2")	639mm (25.2")	750mm (29.5")
Height:	1170mm (46")	1179mm (46.4")	1157mm (45.6")	917mm (36.1")
Depth:	722mm (28.4")	604mm (23.8")	604mm (23.8")	604mm (23.8")
Weight:	51kg	50kg	50kg	50kg
Touch Screen:	W024064A1-TFH, 240x64 COG FSTN positive LCD with integrated touch panel		3.5" 480x320 graphic colour display, resistive touch screen	

Height to scale pan:	Flat 728mm Angled 778mm
Maximum Container Size:	600mm x 400mm (23.6" x 15.7")
Power Supply (mains):	230V or 110V AC
No Load Power Consumption:	0.3W
Material:	304 Stainless Steel
Construction:	Hygienic Fully Welded Open Channel
Foot/Caster type:	Hygienic (threadless) anti vibration feet
Foot Adjustment:	±18mm (with foot option only)
Indicator:	Included (choose option)
Load Cell:	PCB-50kg-C3
Accuracy:	15kg, 20kg
Increments (g):	1g

OPTIONS

CM	CheckMaster Indicator
TMH	TaskMaster Indicator - Horizontal
TMV-L	TaskMaster Indicator - Vertical Left
TMV-R	TaskMaster Indicator - Vertical Right
LMV	LineMaster V
BT	12V Battery Powered (add 0.75Kg)
MA	Mains Powered
FC	Front Braked Swivel Castor
FF	Front Mounted Hygienic Foot
AN	Scale Pan - Angled
FL	Scale Pan - Flat

- IP-69 with mains supply & battery option removed (battery box is not IP rated)
- Integral light bar guide
- Wi-Fi
- Hands Free Tare (only on TMH/TMV/LMV)
- RFiD 125Khz EM4100 compatible Tag Log In
- 4 Digit PIN Log In
- EMC Directive: 2014/30/EU
- Low Voltage Directive: 2014/35/EU


SIDE TO LINE TAKEAWAY SCALE SPECIFICATION SHEET

OPTIONS

1

INDICATOR

LMV




LineMaster V Indicator

CM



CheckMaster Indicator

TMH




TaskMaster Horizontal Indicator

TMV-L



TaskMaster Vertical (left) Indicator

TMV-R



TaskMaster Vertical (right) Indicator

2

SCALE PAN



Scale Pan - Angled

AN



Scale Pan - Flat

FL


3

FRONT MOUNTING



Front Mounted Hygienic Foot

FF




Front Mounted Swivel Caster

FC

4

POWER SUPPLY

MA



Mains Powered

BT



12V Battery