

TABLETOP FLAT BED SCALE



INDUSTRIES



FRESH PRODUCE



CONVENIENCE FOOD



READY TO EAT

Increasing the efficiency and productivity of every operator

Designed for **precision and ease**, MARCO's weighing unit, featuring our unique, language-neutral traffic light indicator, simplifies the weighing process for operators at all skill levels to achieve perfect results, every time.

The **innovative traffic light system**, paired with MARCO's powerful Yield Control software, enables operators to work faster and more accurately, enhancing product consistency, maximising yield, and ensuring regulatory compliance.

With MARCO Yield Control software, management gains **real-time insights** into material consumption, operator performance, product consistency, and projected batch finish times. This powerful reporting capability helps reduce line changeover times, optimise resource allocation, and support informed decision-making to enhance operational performance.

KEY FEATURES:

- Real time production data tracking
- Operator accountability via approved ID login
- High Speed Portion Control
- Language transparent sixteen segment LED traffic light display
- Simple installation onto customer's existing weighing surfaces

BENEFITS:

- Minimise Giveaway
- Boost Productivity
- Increase Pack Accuracy
- Consistent Product Quality
- Complete Control & Traceability
- Reduce Waste
- Rapid ROI
- Technical compliance
- IP69 High Care wash down option available

TABLETOP FLAT BED SCALE SPECIFICATION SHEET



A **Tabletop Scale** which consists of a single scale with touchscreen display which can sit on any stable surface. All MARCO Tabletop scales are fitted with single point, stainless steel, hermetically sealed load cell.

PRODUCT SPECIFICATION

	CheckMaster	TaskMaster H
Width:	280mm (11")	320mm (12.5")
Height:	145mm (5.7")	145mm (5.7")
Depth:	348mm (13.7")	305mm (12")
Weight*:	8.8kg	9kg
Touch Screen:	W024064A1-TFH, 240x64 COG FSTN positive LCD with integrated touch panel	3.5" 480x320 graphic colour display, resistive touch screen

Maximum Container Size:	400mm x 400mm (15.7" x 15.7")
Power Supply (mains):	230V or 110V AC
No Load Power Consumption:	0.3W
Material:	304 Stainless Steel
Construction:	Fully welded folded channel frame
Foot type:	Anti-Vibration rubber feet
Indicator:	Included (choose option)
Load Cell:	L6N-20Kg-C3
Accuracy:	3Kg, 6Kg, 8Kg, 12Kg
Increments (g):	1g, 2g (subject to accuracy)

OPTIONS

TMH	TaskMaster Indicator - Horizontal
CM	CheckMaster Indicator
BT	*12V Battery Powered (add 0.75Kg)
MA	Mains Power
L6N	Stainless Steel B6N Load Cell
IP67	IP-67 (not including Battery)

- IP-67
- Integral light bar guide
- Wi-Fi
- Hands Free Tare (Only on TMH)
- NAWI Verification (CheckMaster only)
- RfID 125Khz EM4100 compatible Tag Log In
- 4 Digit PIN Log In
- EMC Directive: 2014/30/EU
- Low Voltage Directive: 2014/35/EU

TABLETOP FLAT BED SCALE SPECIFICATION SHEET

OPTIONS

1

INDICATOR

TMH



TaskMaster Indicator


CM



CheckMaster Indicator

2

POWER SUPPLY



Mains Power

MA



12V Battery

BT

3

IP RATING

IP67

IP67

Dust tight. No Ingress of dust.
Protected against the effects
of temporary submersion of
water.

IP-67
(not including battery)